



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REVISIONS | | | | |
|-----------|---|---------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| A | CH'D -3 ENGRAVE NOTES PER R.W. | 5/6/11 | RJC | RW |
| B | CH'D TOOL NAME WAS DRIVE QUILL LIP SEAL INSTALLER IS TOOL, PUMP 1-2-3 DRIVE QUILL LIP SEAL INSTALLER. | 11/1/13 | RJC | RW |





NOTE:

1. ALSO SOLD WITH KIT RBW6305G01531-3G,
BOX ONE RBW6305G19631-3G.



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REV | | DESCRIPTION | | DATE | INITIAL | APPROVED |
|-----|--|-------------|--|------|---------|----------|
| | | | | | | |




ENGRAVE TOOL No. "RBW6305G17931-3G-1"

(-1)
HANDLE


| RED BARN MACHINE | |
|--|--------|
| TITLE TOOL, PUMP 1-2-3 DRIVE QUILL | |
| LIP SEAL INSTALLER | |
| DWG NO. RBW6305G17931-3G-1 REV B | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: DECIMALS METRIC REF. .XXX \pm .005 .Xmm \pm .1mm .XX \pm .01 FRACTIONS \pm 1/32 .X \pm .1 ANGLES \pm 5° | |
| DRAWN BY: CLOUGH APPROVED <i>D. Weil</i> HEAT TREAT FINISH CLEAR AND DYE SPEC MIL-A-8625F, TYPE II, CLASS I | |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| USED ON MODEL AW139 | |
| SCALE | NTS |
| DATE | 2-3-11 |
| SHEET | 2 of 3 |


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

| REV | | DESCRIPTION | | DATE | INITIAL | APPROVED |
|-----|--------------------------------|-------------|--|--------|---------|----------|
| A | CH'D -3 ENGRAVE NOTES PER R.W. | | | 5/6/11 | RJC | RW |



(-3)
RECEIVER



| | |
|---|--------|
|  RED BARN MACHINE | |
| TITLE TOOL, PUMP 1-2-3 DRIVE QUILL | |
| LIP SEAL INSTALLER | |
| DWG NO. RBW6305G17931-3G-3 REV B | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES | |
| TOLERANCES ON: DECIMALS METRIC REF. $.XXX \pm .005$ $.Xmm \pm .1mm$ $.XX \pm .01$ FRACTIONS $\pm 1/32$ $.X \pm .1$ ANGLES $\pm .5^\circ$ | |
| DRAWN BY: CLOUGH APPROVED  HEAT TREAT FINISH CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I | |
| UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES $.015 \times 45^\circ$ PR. $.015$ R. 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| USED ON MODEL AW139 | |
| SCALE | NTS |
| DATE | 2-3-11 |
| SHEET | 3 of 3 |